



ADVANCED PHOTONICS

DUAL-TUBE TACTICAL  
NIGHT VISION GOGGLES

# PVS-31CL-MOD


Experience the superior situational awareness of the PVS-31CL-MOD, proudly made by GSCI Advanced Photonics.

PVS-31CL-MOD boasts a low-profile design has been perfected with over 30 years of engineering experience and is equipped with the latest technological advancements. It features proprietary GSCI-VIVID high-performance front and rear optics - the lightest optics available on the market today and offers a crystal-clear image. This dual-tube goggle system is one of the lightest you can find!

Other unique operational features, such as instant IR [Morse Code Capability], standard IR [Map Reading / Zero Light Capability], external battery power port, flip-up off, selective channel engagement and stow safety provide remarkable performance and reliability.

With numerous optional accessories such as magnification lenses, head mounting systems, battery packs (including the MVP-240) and recording devices - it can also accept 1xAA and 1xCR123 batteries - you will find this NVG to be the primary choice of multiple users including law enforcement and military agencies worldwide.

## ADVANTAGES OF THE PVS-31CL-MOD



### KEY FEATURES

- ◆ Universal Night Operations Tool
- ◆ Unique Safety Features
- ◆ Extended Range Observation
- ◆ High Situational Awareness
- ◆ Accepts External Power Sources
- ◆ Preferred choice of NATO forces



Designed, Developed, Manufactured by GSCI Advanced Photonics

120 WHITMORE ROAD, UNIT 20, WOODBRIDGE, ONTARIO, L4L6A5, CANADA

WWW.GSCI.NET | GSCI@GSCI.NET | +1.905.850.0990

DISCLAIMER. Technical description, certain optical-electronic-mechanical features of the product shown herein and/or some of its parts/components may not precisely represent the actual device and are subject to change without prior notice by the sole discretion of General Starlight Co., Inc. Mass of the product represents measurable weight of all components this product consists of, such as optics, mechanics, and electronics. Dimensions of the product represents measurable size of the body, including all optical components attached and in fully folded position. Dimensions of additions such as mounting brackets, eyecups, objective lens covers, and/or battery extensions may vary and therefore are not listed herein. Copyright © 1992-2023 General Starlight Co., Inc. Canada. All rights reserved.



ADVANCED PHOTONICS

DUAL-TUBE TACTICAL  
NIGHT VISION GOGGLES

# PVS-31CL-MOD

## TECHNICAL DATA ‡

Proprietary GSCI-VIVID Premium Optics	Yes
Optical Magnification	1X
Objective Lens Focal Length	27mm
Field Of View ‡‡	40°
Focusing Range	0.25m .. Infinity
Diopter Adjustment Range	-6 .. +2
Interpupillary Adjustment	50mm .. 90mm
Built-In IR Illuminator	Yes, 950nm
Momentary IR-On Button	Yes
IR-On Indicator	Yes
Manual Gain Control (MGC)	Optional
3-Position Switch	Yes: Off / On / IR
Bright Light Protection	Yes
Bright Light Sensor	Yes
Low Battery Indicator	Yes: concealed into FOV
Stow Safety Feature	Yes
Flip-Up-Off Feature	Yes
Selective Channel Engagement	Yes
Power Source *	1pc AA / 1pc CR123 / MVP-240
Battery Life on 1x AA / 1x CR123	40 Hours
Battery Life on MVP-240	240 Hours
External Power Supply	4VDC .. 15VDC
Environmental Protection	Waterproof
Dimensions	104x105x70mm
Weight **	385 grams
Operating Temperature	-40°C .. +50°C
Made In Canada	ITAR-Free

## IMAGE INTENSIFIER TUBES



*Autogating and White Phosphor options are available with selected tubes. Contact us for more details.*



## PHOTONIS

\*\*\* ECHO and 4G are the registered trademarks of Photonis Technologies S.A.S.

‡ Specifications are presented for optical-electronic-mechanic assemblies only and do not include technical characteristics of image intensifier tubes.

‡‡ Field Of View (FOV) values are valid if the system is equipped with an 18mm Image Intensifier Tube

\* Batteries not included

\*\* Weight of the unit excludes an IIT due to its weight variations. Typical weight of an IIT is between 70 and 85 grams as per IIT manufacturers' specifications.

DISCLAIMER. Technical description, certain optical-electronic-mechanical features of the product shown herein and/or some of its parts/components may not precisely represent the actual device and are subject to change without prior notice by the sole discretion of General Starlight Co., Inc. Mass of the product represents measurable weight of all components this product consists of, such as optics, mechanics, and electronics. Dimensions of the product represents measurable size of the body, including all optical components attached and in fully folded position. Dimensions of additions such as mounting brackets, eyecups, objective lens covers, and/or battery extensions may vary and therefore are not listed herein. Copyright © 1992-2023 General Starlight Co., Inc. Canada. All rights reserved.





ADVANCED PHOTONICS

DUAL-TUBE TACTICAL  
NIGHT VISION GOGGLES

# PVS-31CL-MOD

*PVS-31C-MOD Model Shown*

## DISTINCTIVE FEATURES



### Selective Channel Engagement

*Swiveling a Night Vision Channel Up Disengages It: PVS-31CL-MOD Can Effectively Become Single-Eye Goggle System.*




### Extended Range Observation

*PVS-31CL-MOD Accepts Afocal Objective Lenses with 3X and 5X Optical Magnification that are Attached to the Existing 1X Lenses.*



### External Power Port

*Along with conventional AA and CR123 Batteries PVS-31CL-MOD Can be Powered From External Power Sources Such as USB Power Banks and 12V Car Power Supply.*



### Stow Safety Feature

*If Activated, The SSF Feature Shuts Off the Unit once it is Stowed and Powers the Unit Back Up when it is Returned Back to the Horizontal Position. SSF is Used to Stay Covert in Night-Time Operations.*




ADVANCED PHOTONICS

DUAL-TUBE TACTICAL  
NIGHT VISION GOGGLES

# PVS-31CL-MOD



## DISTINCTIVE FEATURES (CONTINUED)



*PVS-31C-MOD Model Shown*

### Compatibility with Head Gears and Helmet Mounts

*PVS-31CL-MOD is available with Dovetail and Bayonet style mounts.*



### Momentary IR-On Button

*Allows to Instantly Engage IR Illuminator to Quickly Illuminate a Certain Area or Send a Morse-Code Signal to a Team Member.*



**ON**



**OFF**

### Flip-Up Off Feature

*When Mounted on a Flip-Up Head Gear or a Flip-Up Helmet Mount, PVS-31CL-MOD Turns Off Once in Flip-Up Position.*



ADVANCED PHOTONICS

DUAL-TUBE TACTICAL  
NIGHT VISION GOGGLES

# PVS-31CL-MOD

## STANDARD EQUIPMENT: WHAT'S IN THE BOX

1	Dual-Tube Night Vision Goggles equipped with GSCI-VIVID Lightweight High-Performance Front and Rear Optics. Bayonet or Dovetail Bracket Installed
2	Rubber Eyecups (2pcs Installed on the device) with Retaining Rings (2pcs)
3	Sacrificial Window (2pcs)
4	Stow Safety Feature (Integrated)
5	AA Battery Extension Adapter (Installed on the device)
6	Rubber Daytime Filter with Training Hole (Installed on the device)
7	Adjustment Kit: Allen Key + Mini-Wrench
8	USB Power Cable
9	Neck Cord
10	Soft Carrying Pouch
11	User Manual
12	7-Year Warranty with Activation Form
13	Cleaning Kit (3-in-1 Multi-Pen + Cleaning Cloth)

## OPTIONAL EQUIPMENT

A	Advanced Helmet Mount Harness HMH-1
B	Tactical Infrared Illuminator IR250S. Kit Includes IR250S (850nm), Remote Control, Picatinny Mount
C	3X Magnification Afocal Add-On Objective Lens SL-3: Snap-On or Screw-In
D	5X Magnification Afocal Add-On Objective Lens SL-5: Snap-On or Screw-In
E	Smartphone Camera Adapter CAS-14
F	Universal Multi-Voltage Battery Pack MVP-240
G	Digital HD Recorder with Built-In Display and Video Output NVR-714-D



Designed, Developed, Manufactured by GSCI Advanced Photonics  
120 WHITMORE ROAD, UNIT 20, WOODBRIDGE, ONTARIO, L4L6A5, CANADA  
WWW.GSCI.NET | GSCI@GSCI.NET | +1.905.850.0990

DISCLAIMER. Technical description, certain optical-electronic-mechanical features of the product shown herein and/or some of its parts/components may not precisely represent the actual device and are subject to change without prior notice by the sole discretion of General Starlight Co., Inc. Mass of the product represents measurable weight of all components this product consists of, such as optics, mechanics, and electronics. Dimensions of the product represents measurable size of the body, including all optical components attached and in fully folded position. Dimensions of additions such as mounting brackets, eyecups, objective lens covers, and/or battery extensions may vary and therefore are not listed herein. Copyright © 1992-2023 General Starlight Co., Inc. Canada. All rights reserved.